Substrate	pKa H <sub>2</sub> O (DMSO)	Substrate pKa	H <sub>2</sub> O(DMSO)	Substrate	pKa H₂O	(DMSO)	Substrate	pKa H <sub>2</sub> O (DMSO)
INORG	ANIC ACIDS	CARBOXYLIC	ACIDS	ALC	COHOLS		PROTONA	ATED SPECIES
H <sub>2</sub> O H <sub>3</sub> O <sup>+</sup>	14.0 (32) 0.0	х он		HOH MeOH	14.0 15.5	(31.2) (27.9)	Ph N+OH	-12.4
H <sub>2</sub> S HBr	7.00 -9.00 (0.9)	X= CH <sub>3</sub> CH <sub>2</sub> NO <sub>2</sub> CH <sub>2</sub> F	4.76 (12.3) 1.68 2.66	<i>i</i> -PrOH <i>t</i> -BuOH	16.5 17.0	(29.3) (29.4)	Ph	-7.8
HCI	-8.0 (1.8)	CH <sub>2</sub> CI CH₂Br	2.86 2.86	c-hex₃COH CF₃CH₂OH	24.0 12.5	(23.5)	Ph CH <sub>3</sub>	-6.2
HF HOCI	3.17 (15) 7.5	CH <sub>2</sub> I CHCl <sub>2</sub>	3.12 1.29	(CF <sub>3</sub> ) <sub>2</sub> CHOH C <sub>6</sub> H <sub>5</sub> OH		(18.2) (18.0)	H I	-6.5
HCIO₄ HCN	-10 9.4 (12.9)	CCl <sub>3</sub> CF <sub>3</sub> H	0.65 -0.25 3.77	m-O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> ( p-O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> (	OH 8.4	(10.8)	Ph Me H Ot Me	-3.8
HN <sub>3</sub> HSCN	4.72 (7.9) 4.00	HO C <sub>6</sub> H <sub>5</sub>	3.6, 10.3 4.2 (11.1)	<i>p</i> -OMeC <sub>6</sub> H₄C 2-napthol	DH 10.2	(19.1) (17.1)	H O+-H	-2.05
H <sub>2</sub> SO <sub>3</sub>	1.9, 7.21	<i>o</i> -O <sub>2</sub> NC <sub>6</sub> H₄ <i>m</i> -O <sub>2</sub> NC <sub>6</sub> H₄	2.17 2.45	OXIMES & HY	DROXAMIC	<del>· · ·</del>	Me <sup>O†</sup> H ⁺OH	-2.2
H₂SO₄	-3.0, 1.99	<i>p</i> -O <sub>2</sub> NC <sub>6</sub> H₄ <i>o</i> -CIC <sub>6</sub> H₄	3.44 2.94	N OH	11.3	(20.1)	Me S Me	-1.8
H <sub>3</sub> PO <sub>4</sub> HNO <sub>3</sub>	2.12, 7.21, 12.32 -1.3	$m$ -CIC $_6$ H $_4$ $p$ -CIC $_6$ H $_4$	3.83	Ph O Ph O H	8.88 (NH)	(13.7)	N+-OH Me	0.79 (+1.63)
HNO <sub>2</sub> H <sub>2</sub> CrO <sub>4</sub>	3.29 -0.98, 6.50	<i>o</i> -(СН <sub>3</sub> ) <sub>3</sub> N+С <sub>6</sub> Н <i>p</i> -(СН <sub>3</sub> ) <sub>3</sub> N+С <sub>6</sub> Н	I <sub>4</sub> 3.43	Ph		(18.5)	Me—N—OH I Me	(+5.55)
CH <sub>3</sub> SO <sub>3</sub> H	-2.6 (1.6)	<i>p</i> -OMeC <sub>6</sub> H₄ o	4.47	Me			SULFINIC &	SULFONIC ACIDS
CF₃SO₃H	-14 (0.3)	ROH OH		PER	OXIDES		0,0	
NH <sub>4</sub> CI	9.24	R= H	4.25	MeOOH	11.5		Me S OH	-2.6
B(OH) <sub>3</sub> HOOH	9.23 11.6	trans-CO <sub>2</sub> H cis-CO <sub>2</sub> H	3.02, 4.38 1.92, 6.23	CH <sub>3</sub> CO <sub>3</sub> H	8.2		O II S OH	2.1

<sup>\*</sup>Values <0 for  $H_2O$  and DMSO, and values >14 for water and >35 for DMSO were extrapolated using various methods. The pka of water and  $H_3O^+$  have been experimentally determined to be 14.0 and 0.0, respectively. Earlier values of 15.7 and -1.74, respectively are erroneous numbers proposed by scientists who made some errors in the calculated "rational" values. See: 1) *Helv. Chim. Acta* **2014**, *97*, 1. and 2) *J. Chem. Educ.* **2017**, *94*, 690.

Substrate pKa	a H <sub>2</sub> O (DMSC	) Substrate pKa H <sub>2</sub> O (DMSO)	Substrate pKa H <sub>2</sub> O (DMSO)	Substrate pKa H <sub>2</sub> O (DMSO)
PROTONATED	NITROGEN	AMINES	IMIDES	HYDROXAMIC ACID & AMIDINES
N <sup>+</sup> H <sub>4</sub>	9.2 (10.5)	HN <sub>3</sub> 4.7 (7.9)		O    8.88 (13.7)
EtN+H <sub>3</sub>	10.6	NH <sub>3</sub> 38 (41) <i>i</i> -Pr <sub>2</sub> NH (36 THF))	NH 8.30 NH (14.7)	Ph NOH (NH)
i-Pr <sub>2</sub> N+H <sub>2</sub>	11.05	TMS2NH 26(THF) (30)		NSO <sub>2</sub> Ph
Et <sub>3</sub> N+H	10.75 (9.00)	$PhNH_{2}$ (30.6)	Ac <sub>2</sub> NH (17.9)	$_{\rm R}$ $_{\rm NH_2}$ Ph (15.0)
PhN+H <sub>3</sub>	4.6 (3.6)	Ph <sub>2</sub> NH (25.0) Me	SULFONAMIDE	
PhN+(Me) <sub>2</sub> H	5.20 (2.50)	NCNH <sub>2</sub> (16.9) NH (37)	1000000000000000000000000000000000000	HETEROCYCLES
Ph <sub>2</sub> N+H <sub>2</sub>	0.78	NH (44)	Ph (16.1)	H (20.95) H (16.4)
2-napthal-N+H <sub>3</sub>	4.16	Me Me	CF <sub>3</sub> 6.3 (9.7) (MeSO <sub>2</sub> NHPh (12.9)	
$H_2NN^+H_3$	8.12	H <sub>2</sub> N <b>—√</b> N (26.5)	GUANIDINIUM,	H (11.9)
HON+H <sub>3</sub>	5.96		HYRDAZONES,- IDES, & -INES	NH (23.0)
Quinuclidine N+-H	11.0 (9.80)	AMIDES & CARBAMATES	N <sup>+</sup> H <sub>2</sub> (13.6) NNH <sub>2</sub> (21.6)	
Morpholine o	rH <sub>2</sub> 8.36	O R= H (23.5) $CH_3$ 15.1 (25.5) $NH_2$ Ph (23.3)	Me₂N NMe₂ Ph Me (18.9)	X = 0 (24) $X = S (13.3)$ $X = S (18.6)$
N-Me morpholine	7.38	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	Ph NHNH <sub>2</sub>	H X <b>=</b>
NO <sub>2</sub>		(urea) NH <sub>2</sub> (26.9) OEt (24.8)	$\begin{array}{ccc} \text{PhSO}_2 \text{NHNH}_2 & (17.2) \\ \text{PhNHNHPh} & (26.1) \\ \hline \end{array}$	X = O(14.8) $X = S(11.8)$ $N = N (13.9)$
	-9.3	O O 12 (20.5)	PROTONATED HETEROCYCLES	X Y-0 (34.4)
NO <sub>2</sub>		Et N (21.6) O NH	N (12) (estimate)	X = 0 (24.4) $X = 0 (24.4)$ $X = 0 (27.0)$
DABCO	2.97, 8.82 (2.97, 8.93)	o Bn Q	DBO NH	N (19.8)
H <sub>3</sub> N± +NH <sub>3</sub> +ŅH <sub>3</sub>	6.90, 9.95	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	DMAP Me <sub>2</sub> N— NH 9.2 HN NH 6.95	H (29.4) H (16.5)  Me N+ Me Pr
Proton Sponge	-9.0, 12.0 (, 7.50)	(15) O O O (12.1)	R R= H (PPTS) 5.21 (3.4) t-Bu 4.95 (0.90) Me 6.75 (4.46)	$N_{\text{N}^{+}} (18.4) \qquad N_{\text{N}^{+}} (24)$
PhCN+H	-10		R Cl, H 0.72	Me (10.4) We ViPr

\*Values <0 for H<sub>2</sub>O and DMSO, and values >14 for water and >35 for DMSO were extrapolated using various methods.

## pKa's of CH bonds in Hydrocarbons and Carbonyl Compounds

Substrate	pKa H <sub>2</sub> O (DMSO)	Substrate pKa H <sub>2</sub> O (DMSO)	Substrate pKa H <sub>2</sub> O (DMSO)	Substrate pKa H <sub>2</sub> O (DMSO)
HYDRO	OCARBONS	ESTERS	KETONES	• <b>I</b>
(Me) <sub>3</sub> CH	53	O 24.5 (30.3)		Me
$(\mathrm{Me})_2\mathrm{CH}_2$	51	t-BuO Me	$ \begin{array}{ccc} \text{Me} & X \\ X = & H \end{array} (26.5) $	×
CH <sub>2</sub> =CH <sub>2</sub>	50	r-BuO Ph (23.6)	Ph (19.8)	X= H (24.7) OMe (25.7)
CH₄	48 (56)	N+Me₃ (20.0)	SPh (18.7) COCH <sub>3</sub> 9 (13.3)	NMe <sub>2</sub> (27.5)
Δ	46	EtO O	SO <sub>2</sub> Ph (12.5)	Br (23.8) CN (22.0)
CH <sub>2</sub> =CHCH <sub>3</sub>	43 (44)	11 (14.2) Me	19-20 (27.1)	0
PhH	43	0 0         13 (15.7)	(28.3)	
PhCH <sub>3</sub>	41 (43)	MeO OMe OMe	i-Pr	
Ph <sub>2</sub> CH <sub>2</sub>	33.5 (32.2)	s (20.9)	t-Bu O Me	n= 4 (25.1) 5 (25.8)
Ph <sub>3</sub> CH	31.5 (30.6)	MeO S (20.9)	Ph	6 (26.4)
HCCH	24 23 (28.8)	0 V 1 Pb [30.2 (THF)]		7 (27.7) 8 (27.4)
PhCCH	23 (28.8)	Lio	Ph	4
$XC_6H_4CH_3$ X= p-CN	(30.8)	AMIDES	CH <sub>3</sub> (24.4)	(28.1)
$p-NO_2$	(20.4)	Ph (26.6)	Ph $(17.7)$ COCH <sub>3</sub> $(14.2)$	
<i>p</i> -COPh	(26.9)	Me <sub>2</sub> N 0 (25.9)	COPh (13.3)	(29.0)
Me		Me <sub>2</sub> N SPh (25.9)	CN (10.2) F (21.6)	
	(26.1)	N <sup>+</sup> Me₃ (24.9)	OMe (22.85)	° (25.5)
Me Me		Lt <sub>2</sub> N' O	OPh (21.1) SPh (16.9)	V V
	20 (20.1)	$ \begin{array}{c c}  & CN \\  & (17.2) \end{array} $	SePh (18.6)	Λ
$\sim$	45 (40.0)	(18.2)	NPh <sub>2</sub> (20.3) N <sup>+</sup> Me <sub>3</sub> (14.6)	(32.4)
<b></b> /	15 (18.0)	Me <sub>2</sub> N S Me	$NO_2$ (7.7)	Me Me
H <sub>2</sub>	~36	Me <sub>2</sub> N Me (25.7)	SO <sub>2</sub> Ph (11.4)	
		2		

 $<sup>^*</sup>$ Values <0 for H<sub>2</sub>O and DMSO, and values >14 for water and >35 for DMSO were extrapolated using various methods.

Substrate	рКа	H <sub>2</sub> O	(DMSO)	Substrate	pKa H	H <sub>2</sub> O (DMSO)	Substrate	рКа	H <sub>2</sub> O (DN	MSO)	Substrate pKa	H <sub>2</sub> O	(DMSO)
	NITRILES				SULFIDES	S	SULFOXIDES			SULFO	NES		
X= H CH <sub>3</sub> Ph COPh CONR <sub>2</sub> CO <sub>2</sub> Et CN OPh N+Me <sub>3</sub> SPh SO <sub>2</sub> Ph	2	11	(31.3) (32.5) (21.9) (10.2) (17.1) (13.1) (11.1) (28.1) (20.6) (20.8) (12.0)	PhSCH <sub>2</sub> X X= Ph CN COC COP NO <sub>2</sub> SPh SO <sub>2</sub> F SO <sub>2</sub> C POPI MeSCH <sub>2</sub> SC PhSCHPh <sub>2</sub> (PhS) <sub>3</sub> CH (PrS) <sub>3</sub> CH	h Ph CF <sub>3</sub> 1 <sub>2</sub> C <sub>2</sub> Ph	(30.8) (20.8) (18.7) (16.9) (11.8) (30.8) (20.5) (11.0) (24.9) (23.4) (26.7) (22.8) (31.3)	Me X = Ph Ph Ph Solo She	JLFONI	(33 (27 (18 (2 <sup>2</sup> <b>UM</b>	5.1) 9.0) 9.0) 9.0) 3.2) 4.5)	X= H CH <sub>3</sub> t-Bu Ph CH=CH <sub>2</sub> CH=CHPh CCH CCPh COPh COMe OPh N+Me <sub>3</sub> CN NO <sub>2</sub>		(29.0) (31.0) (31.2) (23.4) (22.5) (20.2) (22.1) (17.8) (11.4) (12.5) (27.9) (19.4) (12.0) (7.1) (23.5)
HETER	O-ARO	MATI	cs	ş Me			Me    S‡		(16	6.3)	SMe SPh		(20.5)
Ph			(28.2)	SH S (PhS) <sub>2</sub> CHP	'h	(30.5)	SULFIMIDE:	S & SUI	LFOXIMIN	IES	SO <sub>2</sub> Ph PPh <sub>2</sub> O O Ph CHPh <sub>2</sub>		(12.2) (20.2) (22.3)
Ph			(30.1)	S X		(20.7)	Ph S R R= Me		(27	7.6) 0.7)	Me S Me		(31.1)
Ph			(26.7)	X= Ph CO <sub>2</sub> N CN	⁄le	(30.7) (20.8) (19.1)	<i>j</i> -Pr O NTs Ph S Me		-	4.5)	CF <sub>3</sub> Me		(18.8)
Ph Ph			(25.2)	RSCH₂CN R= Me Et		(24.3) (24.0)	O NMe Ph S Me O N+Me2		(33	3)	CF <sub>3</sub> S i-Pr		(21.8)
Ph			(30.2)	<i>i</i> -Pr <i>t</i> -Bu		(23.6) (22.9)	O N⁺Me₂ Ph S Me O NTs			4.4)	CF <sub>3</sub>		(32.8)
$\sqrt[]{S}$ Ph			(30.0)	PhSCH=CH BuSH PhSH	-	(26.3)   10-11 (17.0)   <sub>≈7</sub> (10.3)	Ph S CH <sub>2</sub> Cl		(20	0.7)	Et Et (PhSO <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> Me		(14.3)

<sup>\*</sup>Values <0 for H<sub>2</sub>O and DMSO, and values >14 for water and >35 for DMSO were extrapolated using various methods.

## pKa's of CH bonds at Heteroatom Substituted Carbon & References

Substrate pKa H <sub>2</sub> C	(DMSO)	Substrate	рКа	H <sub>2</sub> O (DMSO)	Substrate pKa	a H <sub>2</sub> O	(DMSO)	REFERENCES
ETHERS	PHOSPHONIUM			NITRO			DMSO:	
CH <sub>3</sub> OPh MeOCH <sub>2</sub> SO <sub>2</sub> Ph PhOCH <sub>2</sub> SO <sub>2</sub> Ph PhOCH <sub>2</sub> CN MeO	(49) (30.7) (27.9) (28.1) (22.85)	P+H <sub>4</sub> MeP+H <sub>3</sub> Et <sub>3</sub> P+H Ph <sub>3</sub> P+CH <sub>3</sub> Ph <sub>3</sub> P+ <i>i</i> -Pr Ph <sub>3</sub> P+CH <sub>2</sub> C Ph <sub>3</sub> P+CH <sub>2</sub> C		-14 2.7 9.1 (22.4) (21.2) (6.2) (7.0)	RNO <sub>2</sub> R= CH <sub>3</sub> CH <sub>2</sub> Me  CHMe <sub>2</sub> CH <sub>2</sub> Ph  CH <sub>2</sub> Bn  CH <sub>2</sub> SPh  CH <sub>2</sub> SO <sub>2</sub> Ph	≈10	(17.2) (16.7) (16.9) (12.2) (16.2) (11.8) (7.1)	JACS <u>97</u> , 7007 (1975) JACS <u>97</u> , 7160 (1975) JACS <u>97</u> , 442 (1975) JACS <u>105</u> , 6188 (1983) JOC <u>41</u> , 1883 (1976) JOC <u>41</u> , 1885 (1976) JOC <u>41</u> , 2786 (1976) JOC <u>41</u> , 2508 (1976) JOC <u>42</u> , 1817 (1977) JOC <u>42</u> , 321 (1977)
SELENIDES		PHOSPONATES & PHOSPHINE OXIDES		CH <sub>2</sub> COPh o <sub>2</sub> N <b>,</b>		(7.7)	JOC <u>42,</u> 326 (1977) JOC <u>43,</u> 3113 (1978) JOC <u>43,</u> 3095 (1978)	
PhSe	(18.6)	(EtO) <sub>2</sub> P X			n			JOC <u>43</u> , 1764 (1978) JOC <u>45</u> , 3325 (1980) JOC 45, 3305 (1980)
PhSeCHPh <sub>2</sub>	(27.5)	X= Ph CN		(27.6) (16.4)	n= 3 4		(26.9) (17.8)	JOC <u>45</u> , 3884 (1980) JOC <u>46</u> , 4327 (1981) JOC <u>46</u> , 632 (1981)
(PhSe) <sub>2</sub> CH <sub>2</sub> PhSeCH <sub>2</sub> Ph	(31.3) (31.0)	CO₂Et	t	(18.6) (26.2)	5		(16.0)	JOC <u>46,</u> 3324 (1981) JOC <u>47,</u> 3224 (1982) JOC <u>47,</u> 2504 (1982)
PhSeCH=CHCH <sub>2</sub> SePh	(27.2)	SiMe <sub>3</sub>		(28.8)	6 7		(17.9) (15.8)	Acc. Chem. Res. <u>21</u> , 456 (1988) Unpublished results of F. Bordwell
AMMONIUM	AMMONIUM		$ \begin{array}{ccc}  & & & \\  & & \\  & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\  & & & \\$		IMINES			Water: Advanced Org. Chem., 3rd Ed.
Me <sub>3</sub> N+CH <sub>2</sub> X X= CN	(20.6)	CN		(16.9)	Ph Ph		(24.3)	J. March (1985) Unpublished results of W. P. Jencks
SO <sub>2</sub> Ph COPh	SO <sub>2</sub> Ph (19.4)		PHOSPHINES			tone cou	units less nterparts	THF: JACS <u>110</u> , 5705 (1988)
CO <sub>2</sub> Et CONEt <sub>2</sub>	(20.0) (24.9)	Ph <sub>2</sub> PCH <sub>2</sub> PF Ph <sub>2</sub> PCH <sub>2</sub> SC	_	(29.9) (20.2)	Streitwieser, JOC <sup>-</sup>	1991, 56,	1989	See cited website below for additional data

<sup>\*</sup>Values <0 for  $H_2O$  and DMSO, and values >14 for water and >35 for DMSO were extrapolated using various methods.

## **DMSO Acidities of Common Heterocycles**

Bordwell, ACR, **1988**, *21*, 456 Bordwell http://www.chem.wisc.edu/areas/reich/pkatable/index.htm

	N N		N N	N. N.	N,N	
23.0	19.8	18.6	16.4	13.9	11.9	18.0
$\bigcap_{N}$ O	√NH O			) N N O	NH O	NH O
24.0	20.8	15	.0	12.1	26.4	24.0
NH S	O NH	S N H	S H	Me SHH	Me N N+ Me	—н Me N+
13.3	14.8	11.8	29.4	16.5	18.4	24